## SIEMENS

## Data sheet

## 6GK1901-1BB30-0AA0

product type designation product description



IE FC RJ45 Plug 145 (2x2) RJ45 data connector

FastConnect system

Industrial Ethernet FastConnect RJ45 plug 145 2x 2, RJ45 plug-in connector (10/100 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC TP cable 2x 2; 145° cable outlet 1 pack = 1 unit.

For connection to IE FC TP cables 2x2, suitable for fast assembly with the

suitability for use

transfer rate / for Industrial Ethernet

number of electrical connections

type of electrical connection

transfer rate

interfaces

10 Mbit/s, 100 Mbit/s • for Industrial Ethernet FC TP cables 4 • for network components or terminal equipment 1 • for Industrial Ethernet FC TP cables integrated cut-and-clamp contacts for 4-wire TP FC installation cable AWG22

<ul> <li>for network components or terminal equipment</li> </ul>	RJ45 connector
type of electrical connection / FastConnect	Yes
mechanical data	
material / of the enclosure	metal
number of reuses	10
locking mechanism design	other
design, dimensions and weights	
type of cable outlet	145° cable outlet
width	13.9 mm
height	16 mm
depth	55.6 mm
net weight	35 g
connectable cable cross-section	6.5 6.5 mm
connectable conductor cross-section	0.33 mm <sup>2</sup>
ambient conditions	
ambient temperature	
during operation	-40 +85 °C
during storage	-40 +85 °C
during transport	-40 +85 °C
relative humidity	
at 25 °C / without condensation / during operation / maximum	95 %
	95 % IP20
maximum	IP20
protection class IP	IP20

• silicon-free

PoE+capability

Yes

Yes

product component			
• strain relief	Yes		
standards, specifications, approvals			
certificate of suitability			
RoHS conformity	Yes		
UL approval	Yes		
<ul> <li>cULus approval</li> </ul>	Yes		
<ul> <li>railway application in accordance with EN 50155</li> </ul>	No		
standard for structured cabling	Cat5		
reference code			
<ul> <li>according to IEC 81346-2:2019</li> </ul>	XGA		
standards, specifications, approvals / Environmental Product De	eclaration		
Environmental Product Declaration	Yes		
Global Warming Potential [CO2 eq]			
• total	0.277 kg		
<ul> <li>during manufacturing</li> </ul>	0.263 kg		
<ul> <li>during operation</li> </ul>	0.0086 kg		
after end of life	0.0062 kg		
further information / internet links			
internet link			
• to website: Selection guide for cables and connectors	https://support.industry.siemens.com/cs/ww/en/view/109766358		
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	https://www.siemens.com/tstcloud		
<ul> <li>to website: Industrial communication</li> </ul>	https://www.siemens.com/simatic-net		
<ul> <li>to web page: SiePortal</li> </ul>	https://sieportal.siemens.com		
<ul> <li>to website: Image database</li> </ul>	https://www.automation.siemens.com/bilddb		
<ul> <li>to website: CAx-Download-Manager</li> </ul>	https://www.siemens.com/cax		
to website: Industry Online Support	https://support.industry.siemens.com		
security information			
	state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)		
Approvals / Certificates			
General Product Approval		Test Certificates	
Declaration of Con- formity		<u>Special Test Certific-</u> <u>ate</u>	
Marine / Shipping	Environment	Industrial Commu- nication	
DINY LIRS RINA	Confirmation	PROFINET	
last modified:	12/9/2024 🖸		

12/18/2024